NYU Langone Health

NON-TUBERCULOUS MYCOBACTERIA

INTERACTION WITH THE EXTERNAL AND INTERNAL ENVIRONMENTS

PREVALENCE: PROXIMITY TO WATER CF CHILDREN

Bouso

Retrospective chart review 65 children in Florida

21(32.3%) had 2+ positive sputum cultures NTM

3 year follow-up

CF patients who lived within 500 meters of water were 9.4 times more likely to have NTM

NYU Langone Health

SHOWERHEAD UPDATE
Annals ATS 10.23.2019

Purpose: Test associations between MAC pulmonary disease (MAC-PD) and NTM colonization of five potential point-of-use sources of pathogen exposure in homes

Washington and Oregon residents *clinically diagnosed* MAC-PD

Population age, gender, population matched controls

Samples:

1. **Bathroom faucets**
2. **Kitchen faucets**
3. **Shower aerosols**
4. **Indoor soil**
5. **Outdoor soil**

NYU Langone Health

M. avium in Community and Household Water

Lande, Wallace, Falkinham, et al. 3/2019

Investigated MAC colonization of household plumbing in suburban Philadelphia

Compared MAC isolated from plumbing biofilm with MAC isolated from patient respiratory specimens

M. avium was recovered from 81% of 37 households including 91% of M. avium patients

For 52.4% of those patients with M. avium disease, the recovered plumbing organism was the same genotype as that recovered from the respiratory isolate (sputum) (but not all)

6 genotypes were recovered from the majority of households and patients

NYU Langone Health