## APPLICATION

NYU Langone Health

## PURPOSE

To prevent employees and contractor personnel from falling off, onto, or through surfaces;

To protect patients, staff, and the public from being struck by falling objects; and

To comply with federal, state and local laws, including Occupational Safety and Health Administration (OSHA) fall protection standards (29 CFR 1910 subparts D and F and 1926 subpart M), New York State (NYS) Industrial Code Rule 23, and the New York City (NYC) and NYS Building Codes.

## POLICY AND GENERAL INFORMATION

### 1.0 Application

NYU Langone Health (NYULH) refers to the NYU Langone Health System, NYU Langone Hospitals, NYU Grossman School of Medicine, NYU Long Island School of Medicine, the Family Health Centers at NYU Langone, and all entities controlled by them

This policy applies to:

All indoor and outdoor areas of all NYULH owned and leased facilities

All employees and contractor personnel of NYULH

The primary departments and divisions impacted by this program are:

Environmental Services;

Facilities Management, Facilities Operations, and Engineering (collectively Facilities);

Real Estate; and

Real Estate Development and Facilities (RED+F), Design and Construction.

4 640.2 TrFT

**Passive fall protection system** refers to systems that do not require the wearing or use of personal fall protection equipment (e.g., guardrail systems, engineered vertical

Providing the proper equipment for working at heights and ensuring workers are trained to use it;

Obtaining approval from NYULH for all active fall protection systems; and

If NYULH approves an active fall protection system:

- Providing a written site-specific fall protection program;
- Identifying and providing evidence of training for the competent person and authorized persons who will be engaged in the work;
- Providing a detailed plan for prompt rescue if a worker falls and remains suspended;
- Scheduling a pre-planning meeting, at least 1 week in advance, with NYULH's PM and EH&S to ensure that all necessary equipment and protective measures are in place; and
- If contractor's rescue plan relies solely on rescue by government agencies (e.g., FDNY or NYPD), formally notifying the agencies at least one week in advance and coordinating with them.

4.6 **Employees** who work at heights are responsible for:

Tethering their tools to prevent them from falling to a lower level;

Using all required fall protection;

Inspecting active fall protection system components and anchorage

# Safety Policy Manual

**Policy No. 160**

**Policy:**

6.7 Each worker shall be secured to an independent lifeline (horizontal or vertical) unless the lifeline is specifically designed to support more than one person.

6.8 The anchorage for a personal fall arrest systems shall be independent of the anchorage for suspended platforms.

6.9 Knots shall not be tied in lifelines, lanyards, or other active fall protection system components.

6.10 Fall protection anchors installed in concrete and masonry shall be designed, and pull or drop tested by a qualified entity.

6.11 Chafing protection shall be used wherever fall restraint and personal fall arrest system components may come into contact with sharp edges.

6.12 Only shock absorbing lanyards shall be used. Lanyards shall be connected to the body harness D ring only. Lanyards shall not be tied back to themselves unless specifically designed for that purpose. Lanyards shall not be connected in series. Retractable lanyards shall be connected directly to the body harness D ring.

**Related NYULH Safety Policies**

120: Construction Safety Requirements
138: Confined Space Entry
163: Ladders, Scaffolds, and Mobile Elevating Work Platforms

| | |
|---|---|
| **Issue date** | 02/2021 |
| **Replaces** | 10/2019 |
| **Reviewed by** | R. Cohen, Facilities Operations<br>N. Ejaz, NYULH-Brooklyn Safety Officer<br>S. Haney, Environmental Health and Safety<br>A. John, Environmental Services<br>B. Kenny, NYULH-Long Island, Engineering<br>D. Resnick, Design and Construction<br>D. Rubbo, NYU LOH, Facilities Engineering<br>NYU Langone Hospitals Environment of Care (EOC) Committee<br>NYU Langone Hospital-Brooklyn EOC Committee<br>NYU Langone Orthopedic Hospital EOC Committee |

| | |
|---|---|
| | NYU Langone Hospital-Long Island EOC Committee<br>Family Health Centers at NYU Langone EOC Committee |

**Summary of Revisions**

| Revision date | Section | Changes |
|---|---|---|
| February 2021 | Throughout | Changes NYU Winthrop to NYU Langone Health – Long Island |
| | 2.2 | Adds ANSI Standard |
| | Throughout | Minor changes to language |
| September 2019 | Reviewed by | Adds NYU Winthrop review |
| | Application | Updates logo and organizational references |
| September 2017 | 2.0 | Defines NYU Langone |
| | Reviewed by | Adds review by NYU Langone Hospital - Brooklyn Safety Officer, and EOC Committees of NYU Langone Hospital – Brooklyn, NYU Langone Orthopedic Hospital and Family Health Centers at NYU Langone. |